

ASIMETO®



**MEASURE TWICE.
SPEND ONCE.**



- ✓ **More Accurate**
- ✓ **Longer Life**
- ✓ **Better Price**

SAVE 25%
WHEN YOU CHOOSE ASIMETO

SAVE 25% WHEN YOU CHOOSE ASIMETO

ASIMETO®

For all specs click on the Code Number or visit www.SowaTool.com

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Outside Micrometers & Sets



Ratchet Thimble



Range	Graduation	Accuracy	Thimble Type	Code No.	List Price	SALE \$
0-1"	0.0001"	±0.0001"	Ratchet	7101013	64.71	38.83
1-2"	0.0001"	±0.0002"	Ratchet	7101023	72.34	43.40
4-5"	0.0001"	±0.00015"	Ratchet	7101053	114.34	68.60
6-7"	0.0001"	±0.0002"	Ratchet	7101073	127.22	76.33
Range	Grad.	Notes	Code No.	List Price	SALE \$	
0-3" (3pc)	0.0001"	0-1"+1-2" Friction 2-3" Ratchet	7101637	194.56	116.74	

Micrometer Stand

Notes	Code No.	List Price	SALE \$
Painted Cast Iron Base	7109021	62.53	37.52



Micrometer Standards

Size	Accuracy	Diameter	Code No.	List Price	SALE \$
1"	±0.00005"	0.276"	7110011	8.57	5.14
2"	±0.0001"	0.276"	7110021	9.84	5.90
3"	±0.0001"	0.276"	7110031	11.90	7.14
9"	±0.00020"	0.315"	7110091	31.81	19.09
10"	±0.00020"	0.315"	7110101	36.30	21.78
21"	±0.00030"	0.630"	7110211	108.78	65.27



Anvils



T.P.I.	Pitch (in./mm)	Code No.	List Price	SALE \$
64-48 (M1)	0.016-0.019"/0.4-0.5mm	7130610	34.78	20.87
13-9 (M4)	0.079-0.118"/2.0-3.0mm	7130640	34.78	20.87
8-5 (M5)	0.138-0.196"/3.5-5.0mm	7130650	34.78	20.87

Inside Micrometers



Mechanical

Range	Grad	Accuracy	Code No.	List Price	SALE \$
0.2-1.18"	0.001	±0.0001"	7203011	148.43	89.06
3-4"	0.001	±0.0002"	7203041	204.97	122.98

Interchangeable Anvil Micrometers

Range	Grad.	Accuracy	Code No.	List Price	SALE \$
16-20"	0.001"	± 0.0005"	7111201	919.66	551.80
20-24"	0.001"	± 0.0006"	7111241	1,088.57	653.14
28-32"	0.001"	± 0.0007"	7111321	1,524.55	914.73



Digital Outside Micrometers with SPC Output & Set



Range	Inch Resolution	Accuracy	Range	Metric Resolution	Accuracy	Code No.	List Price	SALE \$
0-1	0.00005"	0.0001"	0-25	0.001mm	0.002mm	7105015	325.67	195.40
1-2	0.00005"	0.0002"	25-50	0.001mm	0.002mm	7105025	329.78	197.87
2-3	0.00005"	0.0002"	50-75	0.001mm	0.003mm	7105035	437.05	262.23
3-4	0.00005"	0.0002"	75-100	0.001mm	0.003mm	7105045	396.99	238.19
Sets								
0-3	0.00005"		0-75	0.001mm		7105639	854.05	512.43

Economic Digital Outside Micrometers



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
1-2"/25-50mm	0.00005" / 0.001mm	±0.00016" / 0.004mm	7116021	181.41	108.85

Digital Blade Micrometers



Range	Resolution	Accuracy	Blade Dimensions Depth x Length	Code No.	List Price	SALE \$
1-2" / 25-50mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117021	729.18	437.51
2-3" / 50-75mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117031	744.91	446.95

Digital Screw Thread Micrometers



Range (in.)	Inch Res	Accuracy	Range (mm)	Metric Res	Accuracy	Code No.	List Price	SALE \$
0-1"	0.00005"	±0.0001"	0-25	0.001mm	±0.004mm	7136011	478.27	286.96

Digital

IP65 Coolant Proof and ABS Absolute Function



Range (in./mm)	Res (in./mm)	Accuracy	Code No.	List Price	SALE \$
0.2-1.2 / 5-30	0.00005 / 0.001	±0.0001"	7207011	581.93	349.16

Digital Disc Micrometers — Non-Rotating Spindle



Range	Accuracy	Code No.	List Price	SALE \$
0-1" / 0-25mm	±0.0001"	7145011	622.67	373.60
1-2" / 25-50mm	±0.0002"	7145021	681.64	408.98
2-3" / 50-75mm	±0.0002"	7145031	758.23	454.94

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Depth Micrometers



Range	Res/Grad	Accuracy	Thimble Grad.	Base Length	No. of Rods	Digital, IP65 & ABS	Code No.	List Price	SALE \$
0-6"	0.00005"	±0.0002"	0.0001"	4.0"	6	✓	7205063	731.51	438.91

Depth Micrometers

Range	Grad.	Accuracy	Base Length	Code No.	List Price	SALE \$
0-4"	0.001"	+0.0002"	2.5"	7201041	263.83	158.30
0-4"	0.001"	+0.0002"	4.0"	7201043	235.60	141.36
0-6"	0.001"	+0.0002"	4.0"	7201063	342.60	205.56



Inside Micrometer — Interchangeable Rod Type



Range	Head Travel	Grad	Spacing Collar	Rod Dia.	Code No.	List Price	SALE \$
1-2"	0.25"	0.001"	0.250"	0.248"	7242021	341.40	204.84

Two & Three Point Internal Micrometers

Mechanical



Range	Grad ("/mm)	Accuracy	Code No.	List Price	SALE \$
0.5 - 0.65"	0.0002"	±0.00016"	7209241	501.83	301.10
0.8 - 1.0"	0.0002"	±0.00016"	7209261	705.62	423.37
1.2 - 1.6"	0.0002"	±0.00016"	7209281	759.81	455.89
2.5 - 3.0"	0.0002"	±0.0002"	7209311	995.41	597.25
3.0 - 3.5"	0.0002"	±0.0002"	7209321	1,040.17	624.10
3.5 - 4.0"	0.0002"	±0.0002"	7209331	1,082.58	649.55

Digital

IP65 Coolant Proof and ABS Absolute Function



Range	Res ("/mm)	Accuracy	Code No.	List Price	SALE \$
1.2 - 1.6"	0.00005 / 0.001	±0.00016"	7208281	1,259.28	755.57
2.5 - 3.0"	0.00005 / 0.001	±0.0002"	7208311	1,438.34	863.00

Digital Depth Calipers – ABS



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
0-6" / 0-150mm	0.0005" / 0.01mm	±0.001"	7327067	127.22	76.33
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	7327127	369.89	221.93

Digital Tire Depth Gauge



Range	Resolution	Accuracy	Base Length	Code No.	List Price	SALE \$
0-1.2" / 0-30mm	0.0005" / 0.01mm	±0.0015" / 0.03mm	60mm	7321010	135.47	81.28

Statistical Process Control Equipment

Used For	Code No.	List Price	SALE \$
ABS Digital Calipers, Digital Micrometers, Heavy Duty Digital Calipers	7901001	165.91	99.55


Used For	Code No.	List Price	SALE \$
IP65 Digital Indicators	7901002	165.91	99.55

Diecast Aluminum



Range	Graduation	Range per Rev	Accuracy	Code No.	List Price	SALE \$
0-6"	0.001"	0.100"	±0.001"	7304065	147.72	88.63
0-12"	0.001"	0.100"	±0.0015"	7304125	335.82	201.49

IP67 Coolant Proof



Range ("/mm)	Res ("/mm)	Accuracy	IP67 Coolant Proof	Code No.	List Price	SALE \$
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	7305082	349.14	209.48

ABS & IP67 Coolant Proof



Range ("/mm)	Res ("/mm)	Accuracy	IP67	Lg Display	ABS	Code No.	List Price	SALE \$
0-6 / 0-150	0.0005 / 0.01	±0.001"	✓	✓		7307065	98.27	58.96
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	✓	✓	7305085	405.88	243.53


SAVE 25% WHEN YOU CHOOSE ASIMETO

ASIMETO®

For all specs click on the Code Number or visit www.SowaTool.com

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Heavy Duty Vernier Calipers	Range ("/mm)	Graduation ("/mm)	Accuracy	Jaw Depth	Code No.	List Price	SALE \$
	0-12 / 0-300	0.001 / 0.02	±0.0015"	75mm	7311121	285.80	171.48
	0-40 / 0-1000	0.001 / 0.02	±0.003"	150mm	7311401	1,291.37	774.82

Adj. Jaw & Extended Range	Range ("/mm)	Res ("/mm)	Accuracy	IP67	ABS	Adj Jaw	Code No.	List Price	SALE \$
	0-6 / 0-150	0.0005 / 0.01	±0.0015"			✓ Jaw Length 110mm	7317060	357.23	214.34
	0-12 / 0-300	0.0005 / 0.01	±0.0020"			✓ Jaw Length 130mm	7317120	632.35	379.41
	0-40 / 0-1000	0.0005 / 0.01	±0.10mm	✓	✓	✓ Jaw Length 150mm	7315406	1,858.88	1,115.33

Bore Gauges

Range	Resolution/Graduation	No. Anvils	No. Spacers	No. Sub-Anvils	Probe Depth	Digital/Dial	Code No.	List Price	SALE \$
1.4"-2.4"	0.0001" / 0.01mm	6 pcs	4	-	6"	Dial	7483221	296.79	178.07



Indicators

	Range	Grad	Dial Reading	Range per Rev	Stem Dia.	Type	Code No.	List Price	SALE \$
	0-0.05"	0.0001"	0-50-0	0.01"	3/8	Lug Back	7402013	143.89	86.33
	0-0.05"	0.0001"	10-0	0.01"	3/8	Lug Back	7402011	186.17	111.70
	0-0.05"	0.0001"	0-5-0	0.01"	3/8	Lug Back	7402015	200.11	120.07
	0-0.25"	0.001"	0-100	0.1"	3/8	Lug Back	7402061	51.49	30.89
	0-0.5"	0.001"	0-50-0	0.1"	3/8	Lug Back	7402123	69.21	41.53

	Range ("/mm)	Res ("/mm)	Accuracy ("/mm)	Type	IP65	ABS	Code No.	List Price	SALE \$
	0-0.5 / 0-12.5	0.0005 / 0.01	±0.0008 / ±0.02	Flat Back attached, Lug Back supplied		✓	7405951	179.06	107.44
	0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.03	Flat Back attached, Lug Back supplied		✓	7405011	195.55	117.33
	0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407023	207.67	124.60
	0-2 / 0-50	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407033	640.83	384.50

Extended Range/Pocket Dial Test Indicator Sets

	Range	Grad	Accuracy	Code No.	List Price	SALE \$
	0.060"	0.0005"	±0.0012"	7504811	300.72	180.43
	0.060"	0.0005"	±0.0012"	7504813	292.55	175.53
	0.060"	0.001"	±0.0012"	7504815	280.46	168.28
	0.060"	0.0005"	±0.0012"	7504821	294.75	176.85

Extended Range/Pocket Dial Test Indicators

	Range	Grad	Dial Reading	Accuracy	Code No.	List Price	SALE \$
	0.060"	0.001"	0-15-0	±0.0012"	7503061	252.00	151.20
	0.060"	0.0005"	0-15-0	±0.0012"	7504563	225.74	135.44

SAVE 25% WHEN YOU CHOOSE ASIMETO

ASIMETO®

For all specs click on the Code Number or visit www.SowaTool.com

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Dial Test Indicator Sets



Basic Accessories Included:

Stem Diameter – Metric Ø8mm
Stem Diameter – Inch Ø3/8"
Ruby Contact Point Diameter – Ø2mm
Wrench

Full Set Accessories Included:

Asimeto Basic Accessories plus, Stem Diameter Metric Ø4mm, Stem Diameter Inch Ø0.157", Carbide Tipped Point Diameter Ø2mm, Steel Point Diameter Ø1mm
Swivel Clamp – Metric for Ø4mm & Ø8mm Diameters
Swivel Clamp – Inch for Ø3/8" & Ø 0.157" Diameters
Holding Bar – Metric 9 x 9 x 100mm
Holding Bar – Inch 0.25" x 0.5" x 4"

Range	Grad	Dial Reading	Accuracy	Type	Code No.	List Price	SALE \$
0.008"	0.0001"	0-4-0	±0.0001"	Vertical	7501785	161.39	96.83
0.03"	0.0005"	0-15-0	±0.0005"	Vertical	7501735	131.58	78.95
0.008"	0.0001"	0-4-0	±0.0001"	Horizontal	7501787	204.43	122.66
0.03"	0.0005"	0-15-0	±0.0005"	Horizontal	7501738	249.89	149.93

Test Indicator Points



Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Carbide Ball					
2mm	16.2mm	0.03"/0.0005"	7500622	20.12	12.07
3mm	16.7mm	0.03"/0.0005"	7500632	15.55	9.33
3mm	16.7mm	0.008"/0.0001"	7500732	25.65	15.39

Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Steel Ball					
1mm	15.9mm	0.03"/0.0005"	7500611	19.61	11.77
2mm	16.2mm	0.03"/0.0005"	7500621	9.94	5.96
3mm	16.7mm	0.03"/0.0005"	7500631	9.94	5.96
3mm	16.7mm	0.008"/0.0001"	7500731	6.01	3.61
1mm	21.3mm	0.06"/0.0005"	7500811	9.36	5.62
3mm	22.3mm	0.06"/0.0005"	7500831	9.94	5.96

Indicator Holders & Bases



Magnetic Power	Magnetic Base (L x W x H)	Female Thread	Code No.	List Price	SALE \$
60 kg	60 x 50 x 55mm	M8	7600011	90.66	54.40



Pull Action	Main Body	Main Stem Length	Code No.	List Price	SALE \$
17 kg	Ø30 x 25mm	85mm	7601120	119.33	71.60



Pull Action	Base (L x W x H)	Post/Arm Dimensions	On/Off Switch	Fine Adj	Code No.	List Price	SALE \$
80 kg	60 x 50 x 55mm	Total Height: 310mm Post: 124mm Arm: 101mm Top: 85mm	✓	✓	7602021	219.85	131.91



Pull Action	On/Off Switch	Code No.	List Price	SALE \$
132 lbf	✓	7601011	43.96	26.38

Height Gauges – Single & Double Beams

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015" / 0.04mm	Single	Digital	7626120	823.42	494.05
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020" / 0.05mm	Single	Digital	7626240	1,221.59	732.95
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	Single	Digital	7625120	666.75	400.05
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020"	Single	Digital	7625240	1,213.34	728.00

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-18" / 0-450mm	0.001" / 0.01mm	±0.0015" / 0.04mm	Double	Digital	7627180	1,556.98	934.19



Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Radius Gauges



Range	No. of Leaves	Code No.	List Price	SALE \$
1/32-17/64 x 64ths, 90° arc	16	7605401	42.75	25.65

Pocket Rules



Size	Clip	Code No.	List Price	SALE \$
6"	✓	7606009	4.46	2.68

Screw Pitch Gauges

	Range	No. of Leaves	Composition of Leaves	Code No.	List Price	SALE \$
Metric & TPI 60°	0.4-7mm 4-42 TPI	51	Composition of Leaves 7605520 and 7605502	7605508	36.75	22.05



Squares & Square Sets

	Blade Length (in.)	Code No.	List Price	SALE \$
	Set of 3 squares with 1-1/2" triangular straight edge with handle and case. 2-15/16", 1-9/16", 1"	7606670	265.92	159.55
	6" x 4" 150 x 100mm	7639240	148.58	89.15
	8" x 5" 200 x 130mm	7639250	190.48	114.29

Matched Pair Steel Parallel Sets

Pairs	Width	Range	Code No.	List Price	SALE \$
8	1/2"	7/8" to 1-3/4"	7607080	292.67	175.60
9	1/4"	3/4" to 1-3/4"	7607090	274.35	164.61
10	1/8"	1/2" to 1-5/8"	7607100	174.00	104.40
10	1/32"	1/2" to 1-5/8"	7607101	130.17	78.10




Digital Protractors — Level Type

Range	Res	Accuracy	Code No.	List Price	SALE \$
360°	0.1°	±0.1°	7490160	262.11	157.27



Thread Measuring Wire Set



Description	Code No.	List Price	SALE \$
48 wires - 16 different sizes which measure all threads from 3 - 48 threads per inch and all metric threads from 0.5mm to 6mm - Also measures ACME threads - Laminated chart included	7697300	36.58	21.95

Telescoping Gauges & Set

Range	Depth	Model	Code No.	List Price	SALE \$
Set of 6 - 0.315"-5.90"		A, B, C, D, E, F	7487869	75.56	45.34
1.26"-2.126"	5.85"	D	7487041	20.63	12.38
0.315"-0.500"	12"		7487013	17.79	10.67
0.500"-0.748"	12"		7487023	17.79	10.67
0.748"-1.26"	12"		7487033	17.79	10.67
1.26"-2.126"	12"		7487043	20.49	12.29
3.54"-5.90"	12"		7487063	20.49	12.29



Ergonomic Pin Gauge Handles



Range	Code No.	List Price	SALE \$
0.011" - 0.060"	7697410	40.16	24.10
0.251" - 0.500"	7697412	60.17	36.10

Rectangular Gauge Block Sets

Blocks per Set	Code No.	List Price	SALE \$
81	7650010	1,243.97	746.38
	7650011	885.86	531.52



Precision Steel Pin Gauge Sets



Plus Tolerance +0.0002"/-0	Code No.	List Price	SALE \$
190 0.061"-0.250" x 0.001" step	7697020	272.49	163.49
250 0.251"-0.500" x 0.001" step	7697030	488.34	293.00

Hardness Tester Penetrators



Description	Specifications	Code No.	List Price	SALE \$
For Brinell Hardness Tester	Ø2.5, 5, 10mm tungsten carbide ball penetrators	7640840	559.26	335.56